J. ELECTROCARDIOLOGY 10 (4), 1977, 415-424

Author Index Volume 10

Alboni, P., 87, 401
Alfaro, F.G., 95
Amsterdam, E.A., 299
Antman, E.M., 59
Antonioli, E.G., 359
Aronson, R., 179
Arthur, R.M., 27
Aryanpur, I., 337
Atterhög, J-H., 331
Baggione, F.G., 359
Baggione, G., 401
Bagni, B., 359
Bassett, A.L., 313
Benchimol, A., 105
Bissett, J.K., 5, 111, 413
Bonow, R.O., 283
Briller, S.A., 27
Brindicci, G., 45
Brody, D.A., 79
Brooks, C.McC., 39, 165
Browne, P.J., 105
Brymer, J.F., 387
Burggraf, G.W., 375
Bush, H.L., 313
Cabizuca, S.V., 105
Casella, A.J., 59
Castillo, H.T., 119
Chadda, K.D., 221
Chahine, R A., 95
Chandraratna, P.A.N., 233
Chiddo, A., 267
Chmelik, F., 67
Chua, W., 157
Cooper, T.B., 103
Cox, J.W., Jr., 79, 347
Danoviz, J., 189
de Guzman, M., 305
de Soyza, N., 5, 111
Desser, K.B., 105
Di Biase, M., 45, 197, 267
Di Segni, E., 63
Distelbrink, C.A., 379
Djalaly, A., 245
Dorismond, J.C., 157
Dowdie, R.F., 347
Dower, G.E., 237
Drusin, R., 59
Dubin, S., 77
Duisterhout, J.S., 379
Dunn, R.A., 19
Durairaj, S.K., 305
Eisenstein, I., 225
Elster, S.K., 411
Engel, T.R., 13
Fabregas, R.A., 205
Fenichel, N.M., 287
Flora, J., 387
Frankl, W.S., 13
Gangadharan, V., 321
Gelband, H., 313
Geselowitz, D.B., 27
Goldstein, R.E., 149
Gordon, A.J., 401
Gordon, S., 321
Gotsman, M.S., 137
Gould, L., 157, 279
Grassi, G., 359
Grauer, L., 149
Guglielmi, R., 267
Guller, B., 19
Gupta, P.K., 221
Haft, J.I., 1
Hamlin, R.L., 215
Han, J., 205
Hasin, Y., 367
Hassan, Z., 275
Haywood, L.J., 305
Heban, P.T., 397
Hedayatti, H.A., 245
Hiejima, K., 71
Hiraki, H., 393
Hoffman, B.F., 313
Huss, P., 397
Ideker, R.E., 79, 347
Ito, S., 393
Jimenez, F.A., 287
Josephson, M.E., 283
Joskowicz, G., 341
Kane, J.J., 5, 111
Kaplinsky, E., 63, 179
Keller, F.W., 79, 347
Kennelly, B.M., 201
Kerin, N., 225
Kinoshita, S., 393
Klein, H.O., 63
LaCamera, F., 119
Lau, F.Y.K., 19
Leier, C.V., 397
Levy, M.N., 225
Lichstein, E., 221
Lightfoot, P.R., 405, 413
Littman, B.B., 233
Loogna, E., 331
Luchi, R.J., 95
McCans, J.L., 375
McConnell, J.R., 5, 111
MacLean, W.A.H., 103
Madias, J.E., 193
Malacarne, C., 87, 401
Marriott, H.J.L., 119
Mason, D.C., 131
Mason, D.T., 299
Masoni, A., 87, 401
Mathur, V.S., 95
Mattes, L.M., 411
May, J.F., 379
Meister, S.G., 13
Mendoza, R.A., 275
Miller, M., 149
Miller, R.R., 299
Milliken, J.A., 203, 375
Mirvis, D.M., 79, 347
Montero, A.G., 95
Moulopoulos, S.D., 51
Myerburg, R.J., 313
Nelson, W., 67
Neufeld, H.N., 179
Niederberger, M., 341
Niimi, N., 251, 257
Ogburn, P.N., 215
Oguri, H., 257
Okajima, M., 257
Osborne, J.A., 237
Paydar, M., 337
Penchas, S., 137
Pipberger, H.A., 19
Pipberger, H.V., 19
Plokker, H.W.M., 379
Polachek, A.A., 287
Pratt, C., 299
Price, J.E., 299
Price, W.H., 131
Propert, D.B., 275
Raff, M.S., 149
Raizner, A.E., 95
Ramos, R.G., 321
Rautaharju, P.M., 203
Reddy, C.V.R., 157, 279,
Reiffel, J.A., 59
Ribas-Meneclier, C., 233
Rich, J., 67
Rizzon, P., 45, 197, 267
Rogel, S., 367
Rosen, M.R., 313
Sakamoto, Y., 71
Samet, P., 233
Sano, T., 71
Santinga, J.T., 387
Sapoznikov, D., 137
Satake, S., 71
Scarcia, A., 267
Schamroth, L., 201

Schmitt, N., 5, 111
Segal, M., 171
Shakibi, J.G., 337
Sheasby, C., 105
Siassi, B., 337
Sideris, D.A., 51
Simonson, E., 171
Smith, C.R., 215
Smith, F., 387
Staib, J., 77
Steinke, W.E., 275
Sugenoya, J., 251, 257
Sugiyama, S., 251, 257
Suzuki, F., 71
Suzuki, K., 123, 393
Swamy, C., 157
Swanick, E.J., 119
Talmon, J.L., 379
Tatematsu, H., 171
Tecklenberg, P.L., 149
Thompson, R., 67
Timmis, G.C., 321
Toyama, J., 251, 257
Toyama, S., 123
Trost, R.F., 27
Tzivoni, D., 137
Ushiyama, J., 39, 165
van Herpen, G., 379
Venkatamaran, K., 305
Vismara, L.A., 299
Wada, M., 251, 257
Wald, R.W., 291
Waldo, A.L., 103
Wang, T., 189
Ware, J.H., 149
Waxman, M.B., 291
Weinman, J., 137
Yamada, K., 251, 257
Yamauchi, K., 171
Yarom, A., 367
Yazdanyar, A, 337
Zeighami, E, 245
Zettergren, D.G., 347
Zoneraich, O., 207
Zoneraich, S., 207

Subject Index Volume 10

A

Accessory pathways
syndrome of normal ECGs, and paroxysmal tachycardias, 2:157-164

Alternation
of retrograde conduction times, 2:201-202

Ambulatory monitoring
correlation of standard ECG and continuous, in detection of ventricular arrhythmias in coronary patients, 4:299-304

Aneuploidy
VCG in subjects with sex chromosome, 2:131-136

Angina pectoris
differences in the T loop in males and females with, 2:123-130

Angiocardiography
PCG criteria for infarction evaluated by, 3:237-244
influence of lead strength on S-T changes with exercise testing (correlative with coronary,), 4:387-391

Animal studies
diagnosis of high posterior infarction: experimental study through the use of body surface isopotential maps, 3:251-256
ECG and VCG response to RVH in goat, 3:215-220
genesis of body surface potential distribution in RBBB, 3:257-266
in vivo excitability and anti-arrhythmic drugs, 4:367-373
values and limitations of surface isopotential mapping techniques in detection and localization of multiple discrete epicardial events, 4:347-358

Anosmia
Cardiac abnormalities in female patient with hypogonadotropic hypogonadism with, 3:279-282

Arrhythmia
bi-morphic atrial flutter, 2:189-192
isorhythmic dissociation — "physiological," 2:179-188

Atrial dysrhythmias
complex, in patient with congestive cardiomyopathy, 4:397-400

Atrial fibrillation (AF)
new method for quantifying ventricular regularization during, 2:149-155

Atrial flutter
bi-morphic, 2:189-192

Atrial muscle
in vivo excitability and anti-arrhythmic drugs, 4:367-373

Atrial tissue
restorative effect of epinephrine on electrophysiologic properties of depressed human, 4:313-320

Atrioventricular conduction; see conduction

Atropine
P-R interval in relation to heart rate during exercise and influence of posture and autonomic tone, 4:331-336

A-V node
Demonstration of bidirectional dual A-V nodal pathways in the same patient, 1:71-76

B

Baroreceptor reflex arch
isorhythmic dissociation — "physiological" arrhythmia, 2:179-188

Beta-adrenergic blocking agents
electrophysiologic properties of intravenous oxprenolol in man, 3:267-273

Bigeminy, concealed
experimental production of manifest and concealed ventricular rhythms in man, 2:111-118
subvariant of, 3:225-232
letters to editor, 4:413

Block
bifascicular
HV interval and patients with, 1:1-2
left, with normally conducting middle fascicle, 4:401-404
bradycardia-related (phase-4) LAH, 1:63-66
bundle branch
can His bundle lesions produce ECG pattern of BBB? 3:205-206
follow-up studies in patients with RBBB, 3:221-224
clinical significance of atrial pacing-induced Mobitz I AV, in patients with CAD, 1:95-100
intra-His bundle block in acute MI, 2:197-200
physiopathological and diagnostic hypotheses in peripheral, 1:87-94
simultaneous intermittent intraatrial and intraventricular conduction defects mimicking trifascicular conduction delay, 1:59-62

Body surface isopotential maps
diagnosis of high posterior infarction: experimental study through use of, 3:251-256
genesis of body surface potential distribution in RBBB, 3:257-266

Bradycardia
— related (phase-4) LAH, 1:63-66

Bypass
syndrome of normal ECGs, accessory pathways and paroxysmal tachycardias, 2:157-164

C

Cardiac abnormalities
in female patient with hypogonadotropic hypogonadism with anosmia, 3:279-282

Cardiac muscle
interaction of oscillators: effect of sinusoidal stretching of sinoatrial node on nodal rhythm, 1:39-44

Cardiomyopathy
complex atrial dysrhythmias in patient with congestive, 4:397-400
multiple conduction defects with markedly prolonged ventricular depolarization in, 3:275-278
simultaneous but separate intermittent and continuous ventricular parasystole, 4:405-410

case studies
alternation of retrograde conduction times, 2:201-202
bi-morphic atrial flutter, 2:189-192
bradycardia-related (phase-4) LAH, 1:63-66
cardiac abnormalities in female patient with hypogonadotropic hypogonadism with anosmia, 3:279-282
complex atrial dysrhythmias in patient with congestive cardiomyopathy, 4:397-400
demonstration of bidirectional dual A-V nodal pathways in same patient, 1:71-76
earliest electrocardiographic sign of acute transmural MI, 2:193-196
evolutionary changes in ECG of severe progressive hypothermia, 1:67-70
intra-His bundle block in acute MI, 2:197-200
left bifascicular block with normally conducting middle fascicle, 4:401-404
multiple conduction defects with markedly prolonged ventricular depolarization in cardiomyopathy, 3:275-278
simultaneous but separate intermittent and continuous ventricular parasystole, 4:405-410
simultaneous intermittent intraatrial and intraventricular conduction defects mimicking trifascicular conduction delay, 1:59-62
spontaneous gap phenomenon in atrioventricular conduction produced by His bundle extrasystoles, 3:283-286
2:1 LBBB in acute bacterial endocarditis with septal abscess, 3:287-290

Chest wall stimulation
by pin electrodes in patients with implanted demand pacemakers, 4:411-412

Children
computer analysis of changes in Frank

VCGs of 666 normal infants in the first 72 hours of life, 1:19-26

Chromosome abnormalities
VCG in subjects with sex chromosome aneuploidy, 2:131-136

Computer
analysis of changes in Frank VCGs of 666 normal infants in first 72 hours of life, 1:19-26
impact of, -reported VCG on cardiologist interpreter of scalar ECG, 4:375-378
program for ECG classification according to Minnesota Code, 4:379-386
sensitivity and specificity of ECG criteria, 2:203

Concealment
experimental production of manifest and concealed ventricular rhythms in man, 2:111-118
subvariant of concealed bigeminy, 3:225-232
letters to editor, 4:413

Conduction
alternation of retrograde, 2:201-202
atrioventricular
dual effects of concealed, in man, 1:5-12
mechanism of; study on analogue, 1:51-58
spontaneous gap phenomenon in, produced by His bundle extrasystoles, 3:283-286
bi-morphic atrial flutter, 2:189-192
can His bundle lesions produce ECG pattern of BBB? 3:205-206
disturbances in patients with mitral valve prolapse, 3:233-236
effects of prindolol on impulse formation and conduction in man, 1:45-50
multiple conduction defects with markedly prolonged ventricular depolarization in cardiomyopathy, 3:275-282
physiopathological and diagnostic hypotheses in peripheral block, 1:87-94
recurrent paroxysmal SVT: complication of ventricular pacing in patient with occult WPW syndrome, 3:291-298
simultaneous intermittent intraatrial and intraventricular conduction defects mimicking trifascicular conduction delay, 1:59-62
2:1 LBBB in acute bacterial endocarditis with septal abscess, 3:287-290

Conductors, volume
ECG image surface revisited, 1:79-85

Coronary arteriography
influence of lead strength on S-T changes with exercise electrocardiography (correlative study with,) 4:387-391

Coronary artery disease (CAD)
clinical significance of atrial pacing-induced Mobitz I AV block in patients with, 1:95-100
high fidelity ECG in diagnosis of occult, 2:137-148

Coupling interval
prognostic features of ventricular tachycardia complicating acute MI, 4:305-312

Current
interaction of oscillatory processes: effects of subthreshold A.C., on sinoatrial nodal rhythm, 2:165-170

D

Depolarized tissue (PDT)
mechanism of atrioventricular conduction: study on analogue, 1:51-58

Diabetes
VCG study of spatial P, QRS and T-loops in diabetic patients without clinically apparent heart disease, 3:207-214

Dipole
plus quadrupole lead system for human electrocardiography, 1:27-38
ECG image surface revisited, 1:79-85

E

Echocardiography
echocardiographic correlates of LVH diagnosed by electrocardiography, 2:105-110

Electrocardiogram (ECG)
analysis of discrepancies between VCG and ECG interpretation of anterior wall MI, 2:171-178
can His bundle lesions produce ECG pattern of BBB? 3:205-206
computer program for ECG classification according to Minnesota Code, 4:379-386
conduction disturbances in patients with mitral valve prolapse, 3:233-236
correlation of standard ECG and continuous ambulatory monitoring in detection of ventricular arrhythmias in coronary patients, 4:299-304
earliest ECG sign of acute transmural MI, 2:193-196
ECG and VCG response to RVH in goat, 3:215-220
evolutionary changes in, of severe progressive hypothermia, 1:67-70
impact of computer-reported VCG on cardiologist interpreter of scalar, 4:375-378
improved ECG monitoring during cardiac catheterization using radiotransparent electrodes and chest leads, 2:119-122

numerical calculation of mean electrical axis of ECG deflections, 1:77-78
screening capabilities of lead I ECG, 3:245-250
sensitivity and specificity of ECG criteria, 2:203
syndrome of normal ECG, accessory pathways and paroxysmal tachycardias, 2:157-164

Electrocardiography
dipole plus quadrupole lead system for human, 1:27-38
echocardiographic correlates of LVH diagnosed by, 2:105-110
high fidelity ECG in diagnosis of occult CAD: study of patients with normal conventional ECG, 2:137-148

Electrodes
monopolar
endocardial electrogram amplitudes and stimulation thresholds in, possible correlations, 4:359-366
pin
chest wall stimulation by, in patients with implanted demand pacemakers, 4:411-412
radiotransparent
improved ECG monitoring during cardiac catheterization using, and chest leads, 2:119-122

Endocardial electrogram amplitudes
and stimulation thresholds in monopolar electrodes: possible correlations, 4:359-366

Endocarditis
2:1 LBBB in acute bacterial, with septal abscess, 3:287-290

Epicardial events
values and limitations of surface isopotential mapping techniques in detection and localization of multiple discrete, 4:347-358

Epinephrine
restorative effect of, on electrophysiologic properties of depressed human atrial tissue, 4:313-320

Excitability
extent of supernormal ventricular, in man, 1:13-17
in vivo, and anti-arrhythmic drugs, 4:367-373

Exercise
clinical significance of atrial pacing-induced Mobitz I AV block in patients with CAD, 1:95-98

Exercise testing
diagnostic inadequacy of, in critical LCAD, 4:321-330
influence of lead strength on S-T changes with; (correlative study with coronary angiography), 4:387-391
P-R interval in relation to heart rate during exercise and influence of posture and autonomic tone, 4:331-336

Extrasystoles
experimental production of manifest and concealed ventricular rhythms in man, 2:111-118
subvariant of concealed bigeminy, 3:225-232

F

Functional refractory period
dual effects of A-V nodal conduction in man, 1:5-12

G

Gap phenomenon
spontaneous, in AV conduction produced by His bundle extrasystoles, 3:283-286

H

Heart
models
dipole plus quarupole lead system for human electrocardiography, 1:27-38
mechanism of AV conduction: study on analogue, 1:51-58
rate
P-R interval in relation to, during exercise and influence of posture and autonomic tone, 4:331-336
prognostic features of ventricular tachycardia complicating acute MI, 4:305-312
vector
global display of, (spherocardiogram); applicability of VCG and PCG infarct criteria, 4:341-346

Hemodynamics
ECG correlates of LVH diagnosed by electrocardiography, 2:105-110

High fidelity ECG
in diagnosis of occult CAD, 2:137-148

High posterior infarction
diagnosis of; experimental study through use of body surface isopotential maps, 3:251-256

His bundle
electrograms
need for additional criteria for diagnosis of sinus node reentrant tachycardias, 2:103-104
extrasystoles
spontaneous gap phenomenon in AV conduction produced by, 3:283-286
HV interval and patients with bifascicular block, 1:1-2
intra-His bundle block in acute MI, 2:197-200
lesions
can, produce ECG pattern of BBB? 3:205-206

HV interval
and patients with bifascicular block, 1:1-2
follow-up studies in patients with RBBB and LAH: significance of, 3:221-224

Hyperpolarization
restorative effect of epinephrine on electrophysiologic properties of depressed human atrial tissue, 4:313-320

Hypogonadotropic hypogonadism
cardiac abnormalities in female patient with, with anosmia, 3:279-282

Hypothermia
evolutionary changes in ECG of severe progressive, 1:67-70

I

Idionodal rhythm
alternation of retrograde conduction times, 2:201-202

Image surface
ECG, revisited, 1:79-85

Impulse formation
effects of prindolol on, and conduction in man, 1:45-50

Infants; see Children

Instrumentation
direct writing color VCG, 4:393-395
improved ECG monitoring during cardiac catheterization using radiotransparent electrodes and chest leads, 2:119-122

Intelligent plotter
global display of the heart vector (spherocardiogram), 4:341-346

Intermittent parasystole
simultaneous but separate intermittent and continuous ventricular parasystole, 4:405-410

Intra-atrial conduction; see Conduction

Isopotential maps
diagnosis of high posterior infarction, 3:251-256
genesis of body surface potential distribution in RBBB, 3: 257-266
values and limitations of surface isopotential mapping techniques, 4:347-358

Isorhythmic dissociation (IRD)
"physiological" arrhythmia, 2:179-188

L

Lead I ECG
screening capabilities of, 3:245-250

Lead system
dipole plus quadrupole; 1:27-38

Left anterior hemiblock (LAH)
bradycardia-related (phase-4), 1:63-66
follow-up studies in patients with RBBB and, 3:221-224

Left bundle branch block
simultaneous intermittent intraatrial and intraventricular conduction defects mimicking trifascicular conduction delay, 1:59-62
2:1, in acute bacterial endocarditis, 3:287-290

Left coronary artery disease (LCAD)
diagnostic inadequacy of exercise testing in critical, 4:321-330

Left ventricular hypertrophy (LVH)
echocardiographic correlates of, diagnosed by electrocardiography, 2:105-110

Left ventricular-right atrial (LV-RA) communication
VCG as aid to diagnosis in, 4:337-340

Lidocaine
in vivo excitability and anti-arrhythmic drugs, 4:367-373
prognostic features of ventricular tachycardia complicating acute MI, 4:305-312

M

Maps
diagnosis of high posterior infarction, 3:251-266

genesis of body surface potential distribution in RBBB, 3:257-266
values and limitations of surface isopotential mapping techniques, 4:347-358

Mean electrical axis (MEA)
numerical calculation of, 1:77-78

Middle fascicle
left bifascicular block with normally conducting, 4:401-404

Minnesota Code
computer program for ECG classification according to, 4:379-386
Mitral valve prolapse
conduction disturbances in patients with, 3:233-236

Model; see Heart models

Modular TNO ECG/VCG interpretation system
computer program for ECG classification according to Minnesota Code, 4:379-386

Monitoring of ECG
improved, during cardiac catheterization using radiotransparent electrodes and chest leads, 2:119-122
correlation of standard ECG and continuous ambulatory, in detection of ventricular arrhythmias in coronary patients, 4:299-304

Myocardial infarction (MI)
analysis of discrepancies between VCG and ECG interpretation of anterior wall, 2:171-178
earliest ECG sign of acute, 2:193-196
intra-His bundle block in acute, 2:197-200
PCG criteria for infarction evaluated by angiocardiography, 3:237-244
prognostic features of ventricular tachycardia complicating acute, 4:305-312

N

Newborns
computer analysis of changes of Frank VCG in, 1:19-26

O

Osborn wave
evolutionary changes in ECG of severe progressive hypothermia, 1:67-70

Oscillators
interaction of: effect of sinusoidal stretching of SA node on nodal rhythm, 1:39-44
mechanism of AV conduction: study on analogue, 1:51-58

Oscillatory processes
interaction of; effects of subthreshold A.C. current on SA nodal rhythm, 2:165-170

Oxprenolol
electrophysiologic properties of intravenous, in man, 3:267-273

P

P loops
VCG study of spatial P, QRS and T-loops in diabetic patients without clinically apparent heart disease, 3:207-214

Pacemaker action
interaction of oscillators; effect of sinusoidal stretching of sinoatrial node on nodal rhythm, 1:39-44
interaction of oscillatory processes; effect of subthreshold A.C. current on sinoatrial nodal rhythm, 2:165-170

Pacemakers
chest wall stimulation with pin electrodes in patients with implanted demand, 4:411-412
HV interval and patients with bifascicular block, 1:1-2
mechanism of atrioventricular conduction; study on analogue, 1:51-58
recurrent paroxysmal supraventricular tachycardia: complication of ventricular pacing in patient with occult WPW syndrome, 3:291-298

Pacing
chest wall stimulation with pin electrodes in patients with implanted demand pacemakers, 4:411-412
clinical significance of atrial pacing-induced Mobitz I AV block in patients with CAD, 1:95-98
endocardial electrogram amplitudes and stimulation thresholds in monopolar electrodes, 4:359-366
recurrent paroxysmal supraventricular tachycardia: complication of ventricular, in patient with occult WPW syndrome, 3:291-298

Pathways
demonstration of bidirectional dual A-V nodal, in same patient, 1:71-76

Polarcardiogram (PCG)
applicability of VCG and PCG infarct criteria, 4:341-346
criteria for infarction evaluated by angiocardiography, 3:237-244
global display of heart vector (spherocardiogram), 4:203-204
sensitivity and specificity, 2:203-204

Peripheral block: see Block

Pin electrodes
chest wall stimulation by, in patients with implanted demand pacemakers, 4:411-412

P-R interval
in relation to heart rate during exercise and the influence of posture and autonomic tone, 4:331-336

Premature ventricular contraction (PVC)
dual effects of concealed A-V nodal conduction in man, 1:5-12

Prematurity indices
prognostic features of ventricular tachycardia complicating acute MI, 4:305-312

Prindolol
effects of, on impulse formation and conduction in man, 1:45-50
electrophysiologic properties of intravenous oxprenolol in man, 3:267-273

Procaine amide
in vivo excitability and anti-arrhythmic drugs, 4:367-373

Propranolol
electrophysiologic properties of intravenous oxprenolol in man, 3:267-273
P-R interval in relation to heart rate during exercise and influence of posture and autonomic tone, 4:331-336

Purkinje fibers
extent of supernormal ventricular excitability in man, 1:13-17
physiopathological and diagnostic hypotheses in peripheral block, 1:87-94

Q

QRS duration
multiple conduction defects with markedly prolonged ventricular depolarization in cardiomyopathy, 3:275-278

QRS loops
VCG study of spatial P, QRS and T-loops in diabetic patients without clinically apparent heart disease, 3:207-214
VCG as aid to diagnosis in LV-RA communication, 4:337-340

Quadrupole lead system
dipole plus, for human electrocardiography, 1:27-38

Quinidine
in vivo excitability and anti-arrhythmic drugs, 4:367-373

R

Radiotransparent electrodes
improved ECG monitoring during cardiac catheterization using, and chest leads, 2:119-122

refractory period
experimental production of manifest and concealed ventricular rhythms in man, 2:111-118

Regularization
new method for quantifying ventricular, during atrial fibrillation, 2:149-155

Right bundle branch block (RBBB)
follow-up studies in patients with, and LAH: significance of H-V interval, 3:221-224
genesis of body surface potential distribution in, 3:257-266
multiple conduction defects with markedly prolonged ventricular depolarization in cardiomyopathy, 3:275-278

Right ventricular hypertrophy (RVH)
ECG and VCG response to, in goat, 3:215-220

S

Screening techniques
screening capabilities of lead I ECG, 3:245-250

Sensitivity
and specificity of ECG criteria, 2:203
PCG, and specificity, 2:203-204

Septum
2:1 LBBB in acute bacterial endocarditis with septal abscess, 3:287-290

Sex chromosome aneuploidy
VCG in subjects with, 2:131-136

Sex differences
in T loop in males and females with angina pectoris, 2:123-130

Sick sinus syndrome
recurrent paroxysmal supraventricular tachycardia, 3:291-298

Sinoatrial node
interaction of oscillators, 1:39-44
interaction of oscillatory processes, 2:165-170

Sinus node
need for additional criteria for diagnosis of, reentrant tachycardias, 2:103-104

Sinus rhythm
interaction of oscillators, 1:39-44
interaction of oscillatory processes, 2:165-170

Specificity
sensitivity and, of ECG criteria, 2:203
PCG sensitivity and, 2:203-204

Spherocardiogram (SPG)
global display of heart vector. Applicability of VCG and PCG infarct criteria, 4:341-346

S-T change
influence of lead strength on, with exercise electrocardiography, 4:387-391

Stimulation threshold
endocardial electrogram amplitudes and, in monopolar electrodes, 4:359-366

Supernormal period
extent of supernormal ventricular excitability in man 1:13-17

surface maps
ECG image surface revisited, 1:79-85
diagnosis of high posterior infarction, 3:251-256
genesis of body surface potential distribution in RBBB, 3:257-266
values and limitations of surface isopotential mapping techniques, 4:347-358

T

Tachycardia
complex atrial dysrhythmias in patient with congestive cardiomyopathy, 4:397-400
demonstration of bidirectional dual A-V nodal pathways in same patient, 1:71-76
need for additional criteria for diagnosis of sinus node reentrant, 2:103-104
prognostic features of ventricular, complicating acute MI, 4:305-312
recurrent paroxysmal supraventricular; complication of ventricular pacing in patient with occult WPW syndrome, 3:291-298
syndrome of normal ECGs, accessory pathways and paroxysmal, 2:157-164

T loop
differences in, in males and females with angina pectoris, 2:123-130
VCG study of spatial P, QRS and, in diabetic patients without clinically apparent heart disease, 3:207-214

Torsos
ECG image surface revisited, 1:79-85

Transmural myocardial infarction (TMI)
earliest ECG sign of acute, 2:193-196

U

Ultrasound
echocardiographic correlates of LVH diagnosed by electrocardiography, 2:105-110

Unidirectional conduction
recurrent paroxysmal supraventricular tachycardia, 3:291-298

V

Vectorcardiogram (VCG)
analysis of discrepancies between, and ECG interpretation of anterior wall MI, 2:171-178
as aid to diagnosis in LV-RA communication, 4:337-340
computer analysis of changes in Frank VCGs of 666 normal infants in first 72 hours of life, 2:131-136
direct writing color, 4:393-395
ECG and VCG response to RVH in goat, 3:215-220
global display of heart vector (spherocardiogram), applicability of VCG and PCG infarct criteria, 4:341-346
impact of computer-reported VCG on cardiologist interpreter of scalar ECG, 4:375-378

Ventricular arrhythmias
correlation of standard ECG and continuous ambulatory monitoring in detection of, in coronary patients, 4:299-304

Ventricular parasystole
simultaneous but separate intermittent and continuous, 4:405-410

Ventricular regularization
new method for quantifying, during atrial fibrillation, 2:149-155

Ventricular rhythms
experimental production of manifest and concealed, in man, 2:111-118

W

Wolff-Parkinson-White syndrome
conduction disturbances in patients with mitral valve prolapse, 3:233-236
recurrent paroxysmal supraventricular tachycardia: complication of ventricular pacing in patient with occult, 3:291-298

JOURNAL OF ELECTROCARDIOLOGY

Volume 10
1977

Research in Electrocardiology, Inc.

JOURNAL OF ELECTROCARDIOLOGY

Table of Contents
Volume 10, 1977

Number 1

Editorial:

The HV Interval and Patients with Bifascicular Block
By *J.I. Haft* 1

Original Communications:

Dual Effects of Concealed A-V Nodal Conduction in Man
By *J.K. Bissett, J.J. Kane, N. de Soyza, J. McConnell and N. Schmitt* 5

The Extent of Supernormal Ventricular Excitability in Man
By *T.R. Engel, S.G. Meister and W.S. Frankl* 13

Computer Analysis of Changes in Frank Vectorcardiograms of 666 Normal Infants in the First 72 Hours of Life
By *B. Guller, F.Y.K. Lau, R.A. Dunn, H.A. Pipberger and H.V. Pipberger* 19

A Dipole Plus Quadrupole Lead System for Human Electrocardiography
By *R.F. Trost, R.M. Arthur, D.B. Geselowitz and S.A. Briller* 27

Interaction of Oscillators: Effect of Sinusoidal Stretching of the Sinoatrial Node on Nodal Rhythm
By *J. Ushiyama and C.McC. Brooks* 39

Effects of Prindolol on Impulse Formation and Conduction in Man
By *M. Di Biase, G. Brindicci and P. Rizzon* 45

Mechanism of Atrioventricular Conduction: Study on an Analogue
By *D.A. Sideris and S.D. Moulopoulos* 51

Case Studies:

Simultaneous Intermittent Intraatrial and Intraventricular Conduction Defects Mimicking Trifascicular Conduction Delay
By *J.A. Reiffel, E.M. Antman, A.J. Casella and R. Drusin* 59

Bradycardia-Related (Phase-4) Left Anterior Hemiblock
By *H.O. Klein, E. Di Segni and E. Kaplinsky* 63

Evolutionary Changes in the Electrocardiogram of Severe Progressive Hypothermia
By *R. Thompson, J. Rich, F. Chmelik and W. Nelson* 67

Demonstration of Bidirectional Dual A-V Nodal Pathways in the Same Patient
By *S. Satake, K. Hiejima, Y. Sakamoto, F. Suzuki and T. Sano* 71

Annotation:

Numerical Calculation of the Mean Electrical Axis of Electrocardiographic Deflections
By *S. Dubin and J. Staib* 77

Reviews:

The Electrocardiographic Image Surface Revisited
By *D.A. Brody, D.M. Mirvis, F.W. Keller, J.W. Cox and R.E. Ideker* 79

Physiopathological and Diagnostic Hypotheses in Peripheral Block
By *P. Alboni, C. Malacarne and A. Masoni* 87

Recent Progress in Cardiac Pacing:

The Clinical Significance of Atrial Pacing-Induced Mobitz I Atrioventricular Block in Patients with Coronary Artery Disease
By *F.G. Alfaro, V.S. Mathur, A.E. Raizner, R.A. Chahine, A.G. Montero and R.J. Luchi* 95

Number 2

Editorial:
Need for Additional Criteria for the Diagnosis of Sinus Node Reentrant Tachycardias
By *A.L. Waldo, T.B. Cooper and W.A.H. MacLean* 103
Original Communications:
The Echocardiographic Correlates of Left Ventricular Hypertrophy Diagnosed by Electrocardiography
By *P.J. Browne, K.B. Desser, A. Benchimol, S.V. Cabizuca and C. Sheasby* 105
Experimental Production of Manifest and Concealed Ventricular Rhythms in Man
By *J.K. Bissett, J.J. Kane, N. de Soyza, J.R. McConnell and N. Schmitt* 111
Improved ECG Monitoring During Cardiac Catheterization Using Radiotransparent Electrodes and Chest Leads
By *H.J.L. Marriott, H.T. Castillo, F. LaCamera and E.J. Swanick* 119
Differences in the T Loop in Males and Females with Angina Pectoris
By *K. Suzuki and S. Toyama* 123
The Vectorcardiogram in Subjects with Sex Chromosome Aneuploidy
By *D.C. Mason and W.H. Price* 131
High Fidelity ECG in the Diagnosis of Occult Coronary Artery Disease: A Study of Patients with Normal Conventional ECG
By *D. Sapoznikov, D. Tzivoni, J. Weinman, S. Penchas and M.S. Gotsman* 137
A New Method for Quantifying Ventricular Regularization During Atrial Fibrillation
By *J.H. Ware, P.L. Tecklenberg, M. Miller, M.S. Raff, L. Grauer and R.E. Goldstein* 149
The Syndrome of Normal Electrocardiograms, Accessory Pathways and Paroxysmal Tachycardias
By *L. Gould, C.V.R. Reddy, W. Chua, C. Swamy and J.C. Dorismond* 157
Interaction of Oscillatory Processes: The Effects of Subthreshold A.C. Current on Sinoatrial Nodal Rhythm
By *J. Ushiyama and C. McC. Brooks* 165
Analysis of Discrepancies Between VCG and ECG Interpretation of Anterior Wall Myocardial Infarction
By *K. Yamauchi, M. Segal, H. Tatematsu and E. Simonson* 171
Isorhythmic Dissociation—A "Physiological" Arrhythmia
By *E. Kaplinsky, R. Aronson and H.N. Neufeld* 179
Case Studies:
Bi-Morphic Atrial Flutter
By *T. Wang and J. Danoviz* 189
The Earliest Electrocardiographic Sign of Acute Transmural Myocardial Infarction
By *J.E. Madias* 193
Intra-His Bundle Block in Acute Myocardial Infarction. Report of Two Cases
By *P. Rizzon and M. Di Biase* 197
Alternation of Retrograde Conduction Times
By *B.M. Kennelly and L. Schamroth* 201
Letters to the Editor:
Sensitivity and Specificity of ECG Criteria
By *J. A. Milliken* 203
Polarcardiographic Sensitivity and Specificity
By *P. M. Rautaharju* 203

Number 3

Editorial:
Can His Bundle Lesions Produce the Electrocardiographic Pattern of Bundle Branch Block?
By *J. Han and R.A. Fabregas* 205
Original Communications:
A Vectorcardiographic Study of Spatial P, QRS and T-Loops in Diabetic Patients without Clinically Apparent Heart Disease
By *O. Zoneraich and S. Zoneraich* 207
Electrocardiographic and Vectorcardiographic Response to Right Ventricular Hypertrophy in the Goat
By *P.N. Ogburn, R.L. Hamlin and C.R. Smith* 215
Follow-Up Studies in Patients with Right Bundle Branch Block and Left Anterior Hemiblock: Significance of H-V Interval
By *P.K. Gupta, E. Lichstein and K.D. Chadda* 221
A Subvariant of Concealed Bigeminy
By *M.N. Levy, N. Kerin and I. Eisenstein* 225
Conduction Disturbances in Patients with Mitral Valve Prolapse
By *P.A.N. Chandraratna, C. Ribas-Meneclier, B.B. Littman and P. Samet* 233
Polarcardiographic Criteria for Infarction Evaluated by Angiocardiography
By *J.A. Osborne and G.E. Dower* 237
Screening Capabilities of the Lead I Electrocardiogram
By *A. Djalaly, H.A. Hedayatti and E. Zeighami* 245
Diagnosis of High Posterior Infarction: Experimental Study through the Use of Body Surface Isopotential Maps
By *S. Sugiyama, J. Sugenoya, M. Wada, N. Niimi, J. Toyama and K. Yamada* 251
Genesis of Body Surface Potential Distribution in Right Bundle Branch Block
By *N. Niimi, S. Sugiyama, M. Wada, J. Sugenoya, H. Oguri, J. Toyama, M. Okajima and K. Yamada* 257
Electrophysiologic Properties of Intravenous Oxprenolol in Man
By *M. Di Biase, R. Guglielmi, A. Scarcia, A. Chiddo and P. Rizzon* 267
Case Studies:
Multiple Conduction Defects with Markedly Prolonged Ventricular Depolarization in Cardiomyopathy
By *Z. ul Hassan, R.A. Mendoza, W.E. Steinke and D.B. Propert* 275
Cardiac Abnormalities in a Female Patient with Hypogonadotropic Hypogonadism with Anosmia
By *L. Gould and C.V.R. Reddy* 279
Spontaneous Gap Phenomenon in Atrioventricular Conduction Produced by His Bundle Extrasystoles
By *R.O. Bonow and M.E. Josephson* 283
2:1 Left Bundle Branch Block in Acute Bacterial Endocarditis with Septal Abscess
By *N.M. Fenichel, F.A. Jimenez and A.A. Polachek* 287
Recent Progress in Cardiac Pacing:
Recurrent Paroxysmal Supraventricular Tachycardia: A Complication of Ventricular Pacing in a Patient with Occult Wolff-Parkinson-White Syndrome
By *M.B. Waxman and R.W. Wald* 291

Number 4

Original Communications:
Correlation of the Standard Electrocardiogram and Continuous Ambulatory Monitoring in the Detection of Ventricular Arrhythmias in Coronary Patients
By *L.A. Vismara, C. Pratt, J.E. Price, R.R. Miller, E.A. Amsterdam and D.T. Mason* 299
Prognostic Features of Ventricular Tachycardia Complicating Acute Myocardial Infarction
By *S.K. Durairaj, K. Venkataraman, M. de Guzman and L.J. Haywood* 305
Restorative Effect of Epinephrine on the Electrophysiologic Properties of Depressed Human Atrial Tissue
By *H. Gelband, M.R. Rosen, R.J. Myerburg, H.L. Bush, A.L. Bassett and B.F. Hoffman* 313
The Diagnostic Inadequacy of Exercise Testing in Critical Left Coronary Artery Disease
By *G.C. Timmis, S. Gordon, R.G. Ramos and V. Gangadharan* 321
P-R Interval in Relation to Heart Rate During Exercise and the Influence of Posture and Autonomic Tone
By *J-H. Atterhög* and Enno Loogna 331
The Vectorcardiogram as an Aid to Diagnosis in Left Ventricular-Right Atrial Communication
By *J.G. Shakibi, I. Aryanpur, M. Paydar, A. Yazdanyar and B. Siassi* 337
A Global Display of the Heart Vector (Spherocardiogram). Applicability of Vector- and Polarcardiographic Infarct Criteria
By *M. Niederberger and G. Joskowicz* 341
Values and Limitations of Surface Isopotential Mapping Techniques in the Detection and Localization of Multiple Discrete Epicardial Events
By *D.M. Mirvis, F.W. Keller, R.E. Ideker, J.W. Cox, Jr., D.G. Zettergren and R.F. Dowdie* 347
Endocardial Electrogram Amplitudes and Stimulation Thresholds in Monopolar Electrodes: Possible Correlations
By *E.G. Antonioli, B. Bagni, F.G. Baggioni and G. Grassi* 359
In Vivo Excitability and Anti-Arrhythmic Drugs
By *Y. Hasin, A. Yarom and S. Rogel* 367
The Impact of the Computer-Reported Vectorcardiogram on the Cardiologist Interpreter of the Scalar Electrocardiogram
By *J.A. Milliken, G.W. Burggraf and J.L. McCans* 375
A Computer Program for ECG Classification According to the Minnesota Code
By *J.S. Duisterhout, J.F. May, G. van Herpen, C.A. Distelbrink, J.L. Talmon and H.W.M. Plokker* 379
The Influence of Lead Strength on the S-T Changes with Exercise Electrocardiography (Correlative Study with Coronary Arteriography)
By *J.T. Santinga, J.F. Brymer, F. Smith and J. Flora* 387
Instrumentation
Direct-Writing Color Vectorcardiograph
By *S. Kinoshita, K. Suzuki, H. Hiraki and S. Ito* 393
Case Studies:
Complex Atrial Dysrhythmias in a Patient with Congestive Cardiomyopathy
By *C.V. Leier, P. Huss and P.T. Heban* 397
Left Bifascicular Block with Normally Conducting Middle Fascicle
By *P. Alboni. C. Malacarne, G. Baggioni and A. Masoni* 401
Simultaneous But Separate Intermittent and Continuous Ventricular Parasystole
By *P.R. Lightfoot* 405
Recent Progress in Cardiac Pacing:
Chest Wall Stimulation by Pin Electrodes in Patients with Implanted Demand Pacemakers
By *L.M. Mattes, S.K. Elster and A.J. Gordon* 411
Letters to the Editor:
Manifest and Concealed Ventricular Rhythms
By *P.R. Lightfoot; J.K. Bissett* 413
Index 415